
155 Acres - 10 Tracts | Starlight Estate Multipar Online

Clark County, Indiana, 155 AC +/-





| All Polygons 148.87 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	60.37	40.55	0	11	7e
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	21.81	14.65	0	44	6e
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	19.97	13.41	0	57	3e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	17.61	11.83	0	69	3e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	13.97	9.38	0	71	2e
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	11.91	8.0	0	12	7e
BcrAW	Beanblossom silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration	3.23	2.17	0	65	2w
TOTALS		148.8 7(*)	100%	1	35.74	5.27

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Tract 1 31.22 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	17.51	56.09	0	11	7e
GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	11.91	38.15	0	12	7e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	1.39	4.45	0	71	2e
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	0.29	0.93	0	44	6e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	0.12	0.38	0	69	3e
TOTALS		31.22(100%	-	14.58	6.75

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Tract 2 11.77 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	5.93	50.34	0	11	7e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	3.64	30.9	0	69	3e
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	2.15	18.25	0	44	6e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	0.05	0.42	0	71	2e
TOTALS		11.77(100%	-	35.19	5.56

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Tract 3 5.98 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
-----------	------------------	-------	---	-----	-------	-----

GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	3.36	56.28	0	44	6e
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	1.63	27.3	0	11	7e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	0.92	15.41	0	69	3e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	0.07	1.17	0	71	2e
TOTALS		5.98(*	100%	-	39.23	5.76

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Tract 4 5.02 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	1.77	35.26	0	11	7e
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	1.3	25.9	0	44	6e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	1.19	23.71	0	69	3e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	0.76	15.14	0	71	2e
TOTALS		5.02(*	100%	-	42.38	5.04

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Tract 5 7.76 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	3.22	41.49	0	44	6e
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	2.12	27.32	0	11	7e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	1.89	24.36	0	69	3e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	0.53	6.83	0	71	2e
TOTALS		7.76(*	100%	-	42.92	5.27

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Tract 6 15.09 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	6.7	44.37	0	44	6e
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	5.51	36.49	0	11	7e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	2.88	19.07	0	69	3e
TOTALS		15.09(*)	100%	-	36.7	5.79

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



Tract 8 12.4 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	4.8	38.71	0	11	7e
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	4.21	33.95	0	44	6e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	2.19	17.66	0	69	3e
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	1	8.06	0	71	2e
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	0.2	1.61	0	57	3e
TOTALS		12.4(*	100%	-	38.03	5.49

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Tract 7 7.67 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	4.84	63.02	0	71	2e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	2.78	36.2	0	69	3e
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	0.05	0.65	0	11	7e
TOTALS		7.67(*	100%	-	69.79	2.4

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Tract 9 28.31 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	13.28	46.89	0	11	7e
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	9.45	33.37	0	57	3e
BcrAW	Beanblossom silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration	3.06	10.81	0	65	2w
CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	1.5	5.3	0	71	2e
GgfE2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	0.58	2.05	0	44	6e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	0.44	1.55	0	69	3e
TOTALS		28.31(100%	-	36.94	4.78

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Tract 10 23.65 ac

S	OIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
	SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	10.32	43.65	0	57	3e
	GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	7.77	32.87	0	11	7e

CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	3.83	16.2	0	71	2e
KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	1.56	6.6	0	69	3e
BcrAW	Beanblossom silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration	0.17	0.72	0	65	2w
TOTALS		23.65(100%	-	45.02	4.15

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water