




Tract 2 Tract 1

 All Polygons 29.18 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
KxsD3	Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded	22.55	77.25	0	47	6e
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	3.38	11.58	0	51	4e
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	2.27	7.78	0	66	2w
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0.8	2.74	0	13	7e
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	0.14	0.48	0	65	3e
KxrC3	Knobcreek-Navilleton-Haggatt complex, karst, rolling, severely eroded	0.03	0.1	0	60	4e
CtaB	Crider silt loam, karst, undulating	0.01	0.03	0	81	2e
TOTALS		29.18(*)	100%	-	48.1	5.47

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

 Tract 1 14.85 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
KxsD3	Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded	13.26	89.17	0	47	6e
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	1.35	9.08	0	51	4e
KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	0.14	0.94	0	65	3e
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	0.1	0.67	0	66	2w
TOTALS		14.85(*)	100%	-	47.6	5.76

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

 Tract 2 13.42 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
KxsD3	Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded	9.12	68.01	0	47	6e
KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	2.03	15.14	0	51	4e
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	1.43	10.66	0	66	2w
CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	0.8	5.97	0	13	7e
KxrC3	Knobcreek-Navilleton-Haggatt complex, karst, rolling, severely eroded	0.03	0.22	0	60	4e
CtaB	Crider silt loam, karst, undulating	0.01	0.07	0	81	2e
TOTALS		13.42(*)	100%	-	47.69	5.32

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.



| Tract 2 0.04 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	0.04	100	0	66	2w
TOTALS		0.04(*)	100%	-	66.0	2

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Tract 1 0.87 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
KunAW	Kintner loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	0.7	80.46	0	66	2w
KxsD3	Knobcreek-Haggatt-Caneyville complex, karst, hilly, severely eroded	0.17	19.54	0	47	6e
TOTALS		0.87(*)	100%	-	62.29	2.78

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water